Use this sample form to identify hazards and to certify (document in writing) that you completed the assessment. Keep it on file in your workplace.

Survey your workplace as often as necessary to identify safety and health hazards that require personal protective equipment.

General information			
Department: COMES-Astoria	Location: Astoria		
Jobs included in the assessment: Scientific Res	search and Support		
Person performing assessment: Safety Commi	ttee		
Assessment date: 9/3/13			
Hazard assessment certification			
I certify that I performed this hazard assessmen	nt on the date indicated.		
Signed by Graig W. Hoth	Date: 9/16/13		
<b> </b>		Page	uired?
PPE (from the attached assessment worksheet)	)	Kequ	in eu:
		Yes	No
Fall protection			$\bowtie$
Torso protection		×	
Eye and face protection		×	
Head protection			$\boxtimes$
Foot protection		×	
Leg protection			×
Hand protection		×	
Hearing protection		$\boxtimes$	
Respiratory protection		×	

# **Fall protection**

#### N/A

- All employees must be protected from fall hazards when working on unguarded surfaces more than 10 feet above a lower level or at any height above dangerous equipment.
- Fall protection systems must be provided, installed, and used according to the criteria in 1926.502(d), and 437-003-0502 in Division 3/M, Construction/Fall Protection.

1323.302(u)) una 737 333 3302 117 317137	on synn, construction, run rrotection.
Department: Click here to enter text.	Location: Click here to enter text.
Jobs included in the assessment: Click here	to enter text.
Potential hazards	
☐ Unguarded surfaces more than 10 feet ab equipment	ove a lower level or any height above dangerous
Likelihood of injury without PPE	
□ High	
□ Medium	
□ Low	
Severity of a potential injury without PPI	5
☐ Minor first aid required	
☐ Serious, not life threatening	
□ IDLH – life threatening	
PPE required	
☐ Personal fall arrest system	
☐ Personal fall restraint system	
□ None required	

#### **Torso protection**

- Clothing must be worn which is appropriate to the work performed and conditions encountered.
- Appropriate high temperature protective clothing must be worn by workers who are exposed to molten metals or other substances that can cause burns.
- Loose sleeves, ties, lapels, cuffs, or other loose clothing must not be worn near moving machinery.
- Clothing saturated or impregnated with flammable liquids, corrosive or toxic substances, irritants, or oxidizing agents must be removed immediately and not worn again until properly cleaned.
- Rings, wristwatches, earrings, bracelets, and other jewelry which might contact power driven machinery or electric circuitry, must not be worn.

, , , , , , , , , , , , , , , , , , , ,		
Department: COMES-Astoria	Location: Astoria	
Jobs included in the assessment: Scientific Research and Support		
Potential hazards		
⊠ Extreme temperatures		
☑ Hot splashes from molten metal and other hot liquids		
☑ Impacts from tools, machinery, and materials	3	
☐ Hazardous chemicals		
☐ Ionizing radiation		
Likelihood of injury without PPE		
⊠ High		
□ Medium		
□Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
⊠ Serious, not life threatening		
□ IDLH – life threatening		
PPE required		
☐ Chemical resistant coveralls		
☐ Cut-resistant sleeves, wristlets		
☐ High visibility garment		
☐ Insulated jacket		

- ☑ Lab coat or apron/ sleeves☑ Long sleeves/ apron/ coat
- ☐ Static control coats/ coveralls
- ☐ None required

#### Eye and face protection

- Employees must use appropriate eye or face protection when exposed to flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation.
- Eye protection must have side protection when there is a hazard from flying objects. Detachable side protectors meeting are acceptable.
- Employees who wear prescription lenses must wear eye protection that fits over the lenses without disturbing the proper position of the prescription lenses, or ANSI-approved prescription lenses with side shields.
- Employees who are exposed to potentially injurious light radiation must use filter lenses that have s shade number appropriate for the work being performed.
- Employees whose work exposes them to laser beams must wear laser safety goggles that protect for the wavelength of the laser.

Department: COMES-Astoria	Location: Astoria	
Jobs included in the assessment: Scientific Research and Support		
Potential hazards		
☐ Dust, dirt, metal, or wood chips from chipping, grinding, sawing, hammering, and from power tools		
☐ Chemical splashes from corrosive substances, hot liquids, and solvents		
□ Objects such as tree limbs, chains, tools, and ropes that swing into the eyes or face		
☐ Radiant energy from welding and harmful rays from lasers or other radiant light		
Likelihood of injury without PPE		
⊠ High		
□ Medium		
□ Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
⊠ Serious, not life threatening		
□ IDLH – life threatening		
PPE required		
⊠ Face shield		
☐ Chemical splash goggles		
☐ Glasses/goggles w/face shield		
☐ Glasses/goggles w/face shield		
☐ Impact goggles		

☐ Leather welding hood
⊠ Safety glasses w/side shields
☐ Safety goggles w/face shield
☐ Welding goggles
☐ Welding helmet/shield w/ safety glasses and side shields
□ None required

### **Head protection**

#### N/A

- Employees must wear hardhats when they work where there is a potential for head injuries from falling or flying objects.
- Employees must use hard hats designed to reduce electrical shock hazards when they're working near exposed electrical conductors that could contact their heads.
- Employees who are exposed to power-driven machinery or to sources of ignition must wear caps or other head covering that completely covers their hair.

Department: Click here to enter text.	Location: Click here to enter text.	
Jobs included in the assessment: Click here to e	Jobs included in the assessment: Click here to enter text.	
Potential hazards		
☐ Overhead objects that could fall		
□ Exposed pipes or beams (less than 6.5 feet overhead)		
☐ Energized electrical equipment		
Likelihood of injury without PPE		
□ High		
□ Medium		
□ Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
☐ Serious, not life threatening		
□ IDLH – life threatening		
PPE required:		
Head protection that meets ANSI Z89.1 requirer	ments:	
□ Impact Type I		
☐ Impact Type II		
□ Electrical Class G (general)		
☐ Electrical Class E (electrical)		
☐ Electrical Class C (conductive)		
☐ None required		

# **Foot protection**

Employees must wear protective footwear when they work where there is a danger of foot injuries due to falling or rolling objects, or objects piercing the sole, or electrical hazards.

Department: COMES-Astoria	Location: Astoria	
Jobs included in the assessment: Scientific Rese	obs included in the assessment: Scientific Research and Support	
Potential hazards		
☐ Heavy objects such as barrels or tools that might roll onto or fall on a worker's feet		
☐ Sharp objects such as nails or spikes that could pierce the soles or uppers of ordinary shoes		
☐ Molten metal		
☐ Energized electrical equipment		
Likelihood of injury without PPE		
□ High		
□ Medium		
⊠ Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
☐ Serious, not life threatening		
□ IDLH – life threatening		
PPE required		
☐ Steel toe safety shoes		
☐ Leather boots or safety shoes w/.metatarsal guards		
⊠ Slip resistant soles		
☐ Puncture resistant soles		
☐ Chemical resistant boots/covers		
□ Rubber boots/ closed top shoes		
☐ Insulated boots or shoes		
□ None required		

## Leg protection

#### N/A

- Workers exposed to hot substances or dangerous chemical spills must wear leggings or high boots made of leather, rubber, or other suitable material.
- Workers who use chain saws must wear chaps or leg protectors that cover the leg from the upper thigh to mid-calf. Leg protectors must be made from material that resists cuts from the chain saw.

Department: Click here to enter text.	Location: Click here to enter text.	
Jobs included in the assessment: Click here to enter text.		
Potential hazards		
☐ Hot substances		
☐ Dangerous chemicals		
□ Cuts from chain saws		
Likelihood of injury without PPE		
□ High		
□ Medium		
□ Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
☐ Serious, not life threatening		
☐ IDLH – life threatening		
PPE required		
☐ Leggings or boots – penetration resistant		
☐ Leggings or boots – chemical resistant		
☐ Leggings or boots – molten metal resistant		
☐ Chaps or leg protectors – resists cuts from cha	nin saws	
□ None required		

#### **Hand protection**

- Employees must use appropriate hand protection when their hands are exposed to harmful substances; severe cuts or lacerations; abrasions; punctures; chemical burns; thermal burns; and extreme temperatures.
- Employers must base the selection of the appropriate hand protection on an evaluation of the performance characteristics of the hand protection relative to the task, conditions present, duration of use, and the hazards identified.
- Employees must not wear gloves when their hands could be caught in moving parts.

Department: COMES-Astoria	Location: Astoria	
Jobs included in the assessment: Scientific Rese	arch and Support	
Potential hazards		
☐ Harmful or hazardous temperatures		
☐ Chemicals that can be absorbed into the skin	or cause burns	
□ Energized electrical equipment		
☐ Mechanical equipment that can cause bruises, abrasions, cuts, punctures, fractures, or amputations		
Likelihood of injury without PPE		
⊠ High		
□ Medium		
□ Low		
Severity of a potential injury without PPE		
☐ Minor first aid required		
⊠ Serious, not life threatening		
☐ IDLH – life threatening		
PPE required		
□ Leather/cut resistant gloves		
☐ General-purpose work gloves		
☑ Chemical resistant gloves;		
☐ Insulated gloves		
☐ Heat/flame resistant gloves		
☐ Latex or nitrile gloves		
☐ Electrician's insulated rubber gloves;		
☑ Cotton, leather, or anti-vibration gloves		
□ None required		

### **Hearing protection**

Hearing protectors (plugs or muffs) must be worn by workers exposed to an 8-hour timeweighted average of 85 decibels or greater and be workers who have experienced a threshold shift.

Department: COMES-Astoria	Location: Astoria
Jobs included in the assessment: Scientific Research and Support	

#### Potential hazards

Noise levels that exceed those shown in the table below are hazardous:

Hours of exposure	Sound level (dBA)
8.0	90
6.0	92
4.0	95
3.0	97
2.0	100
1.5	102
1.0	105
0.5	110
0.25	115

#### Likelihood of injury without PPE

- □ High
- □ Low

# Severity of a potential injury without PPE

- $\boxtimes$  Minor first aid required
- ☐ Serious, not life threatening
- □ IDLH life threatening

### PPE required

- $\hfill\Box$  Ear plugs
- ⊠ Ear muffs
- $\hfill\square$  None required

# **Respiratory protection**

Appropriate respirators are required when workers are exposed above permissible exposure limits (PEL) for specific air contaminates, listed in 437-002-0382, Oregon Rules for Air Contaminants; see also 1910.134, Respiratory Protection.

Department: COMES-Astoria	Location: Astoria
Jobs included in the assessment: Scientific Rese	arch and Support
Potential hazards	
Nuisance dust/mist	
☐ Welding fumes	
☐ Asbestos	
□ Pesticides	
☐ Isocyanates	
□ Paint spray	
□ Organic vapors	
☐ Acid gases	
$\square$ Oxygen deficient/ toxic or IDLH atmosphere	
Likelihood of injury without PPE	
□ High	
□ Medium	
⊠ Low	
Severity of a potential injury without PPE	
✓ Minor first aid required	
☐ Serious, not life threatening	
☐ IDLH – life threatening	
PPE required	
Air-purifying respirators  ⊠ Filtering face piece (dust mask)	
☐ Particulate-removing respirator	
☐ Gas-and-vapor-removing respirator	
☐ Combination aerosol filter/gas or vapor-remo	ving respirator
☐ Powered air-purifying respirator	
Atmosphere-supplying respirators	

☐ Supplied-air respirator
□ Self-contained breathing apparatus (SCBA)
☐ Combination self-contained breathing apparatus and air-line respirator
☐ Combination air-purifying and atmosphere-supplying respirators
□ None required